Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

LOUISVILLE SEED CO.

INCORPORATED

EXCLUSIVELY WHOLESALE

226 N. FIFTEENTH STREET LOUISVILLE, KY.

1c PAID
Permit No. 60
LOUISVILLE, KY.

AM!

Jr 1 11-3 1028

D. N. Shoemaker, U. S. Dept. Agriculture, washington, D. C.

PRICE LIST

Today's Most Important Mail



CAREFULLY SELECTED—RECLEANED—TESTED PRODUCE

BIGGER AND BETTER CROPS



Subject to immediate accept	ance and	market changes we quote f. o.	b. Louisville		JANUARY	7 5, 1925
RED CLOVER	Cwt.	ТІМОТНҮ			SOY BEANS ok or Midwest .	Bu.
C-11 M-1-1	\$34 50	Gold Medal -	\$ 7 25	TIONY DIO	ok of Midwest.	. \$ 4 35

RED CLOVER	TIMOTHY	SOY BEANS Bu.
Cwt.	C.11.M.1.1 \$ 7.25	Holly Brook or Midwest \$ 2 35
Gold Medal	Gold Medal	Early Yellow 2 35
Choice		Manchu 2 50
Royal 30 00		Ito San 2 60
Special small grain 22 50	Royal 6 00 Special (ask for samples) 5 00	Wilson Black 3 75
MAMMOTH or SAPLIN CLOVER	opoolar (abr 101 carries)	Virginia
Gold Medal	RED TOP	Mammoth Yellow 3 25
Choice 34 50	Gold Medal 15 00	COW PEAS
Special small grain 30 00	Abe 14 50	Whippoorwill Ask for
ALSIKE	Choice 14 00	Mixed Prices
Gold Medal 22 50	Royal 13 50	* · ·
Choice	Unhulled 10 00	Winter Truef
Royal	Market on Redtop is slightly higher.	Winter Turf 1 75 Burt 1 00
Special contains sprinkling red clover . 15 00	Business in both carlots and less	XX71 •
ALFALFA	has been good. Prospects are for	White
	firm to higher prices.	Feed Oats 80
Gold Medal 22 50 Choice 21 00	ORCHARD GRASS	
Choice 21 00 Grimms in sealed bags con-		BARLEY
taining 60 lbs. each 40 00	Gold Medal	Winter Bearded 1 40
Canadian Varigated	Royal	Winter Beardless 1 50
Grimms type 35 00		SEED SOWERS
SWEET CLOVER	KY. BLUE GRASS	Cyclone each 1 75
	Gold Medal 28 50	" dozen 18 00
Gold Medal White Biennial 14 00	Choice 27 00	Horn each
Choice White Biennial 13 00 White Biennial (Unhulled) . 9 00	Lightweight 15 00	" dozen 7 50
White Biennial (Unhulled). 9 00 Gold Medal Yellow Biennial 14 00	LAWN GRASS	COTTON BAGS
Choice Yellow Biennial 13 00	Gold Medal 35 00	
Yellow Annual 6 00	Cherokee	New or Clean Used each 47 Clean Patched each 35
	Put up in muslin bags printed in two	
JAPAN CLOVER	colors, 1 lb. 3 lb. 5 lb. net.	MISCELLANEOUS
Choice Recleaned 21 00	Above grades in bulk \$2.50 cwt. less	Tall Meadow Oat Grass cwt. 13 50
WHITE CLOVER		Winter Vetch, cwt 11 00
Gold Medal	CANE SEED	Dwarf Essex Rape, cwt 7 00
Choice 45 00	Amber 2 65	Buckwheat 5 50
Special 35 00	Orange 2 75	Ky. Field Pumpkin 18 00
ALSIKE & TIMOTHY	Red Top 2 85	FEED Cwt.
Choice (25% alsike) 8 50	January Shipment	Paragon Horse & Mule 2 65
Special (15% alsike) 7 00	SEED CORN	Gold Medal Horse & Mule . 2 45
SUDAN GRASS	Bu.	Paragon 24% Dairy 2 50
Choice Recleaned 6 75	Ried's Yellow Dent 4 25 Johnson Co. White 4 25	Gold Medal 16½ Dairy 2 25 Paragon Scratch Feed 2 90
MILLET		Gold Medal Scratch 2 90
Cult. Tennessee 5 50	Hickory King 3 00 Southern Prolific Ensilage . 3 00	Gold Medal Hog Feed 2 85
Cuit. Temmessee J JU	Southern Fronne Phonage . 5 00	Solu Medai 110g 1 ccu 2 20

We can supply you with printed Order Blanks and Self-addressed Envelopes, free of charge

Encourage your farmer customers to inoculate all Clovers, Soy Beans, Cow Peas, etc. with Nitragin. The entire cost is low and it pays.



For All Legumes Including Alfalfa, All Clovers, Soy Beans & Cow Peas NITRAGIN

5 BUSHEL CAN - - \$3.35
BUSHEL CAN - - . .70
½ BUSHEL CAN - - . .45
Garden size in cans, twelve cans to a carton.
Price per carton \$1.68. We do not break a carton.

When Ordering Specify Kind of Seeds to be Inoculated







TACK UP FOR FUTURE REFERENCE

"He Reaps Most Who Sows Best"

USE

GOLD MEDAL FIELD SEEDS

"THE SURE GROWING KIND"

LEGAL	WEIGHTS	0F	SEED	AND	GRAIN	ALSO	QUANTITY	PER ACRE

47. Barley .75—100 60. Beans, Soy, broadcast .60—80 14. Bluegrass, Kentucky .21—28 48. Buckwheat .50—75 50. Cane, Drill .10—15 50. Cane, broadcast .50—75 60. Clover, Alfalfa, drills .15—20 60. Clover, Alfalfa, broadcast .18—22 60. Clover, Alsike (alone for forage) .8—15 60. Clover, Alsike (on wheat or rye in spring) .4—6 60. Clover, Alsike (on wheat or rye in spring) .4—6 60. Clover, Japan (Lespedeza) .15—25 60. Clover, Sapling (Mammoth) .10—15 60. Clover, Red (alone for forage) .10—15 60. Clover, Red (on small grain in spring) .7—12 60. Clover, Sweet (hulled) .10—15 33. Clover, Sweet (unhulled) .20—30 60. Clover, White .10—20 56. Corn .6—12 56. Corn (for Silage) .40—56 50. Millet, All Varieties (for seed)	Lbs. Per Bu.
60 Beans, Soy, broadcast 60 80 14 Bluegrass, Kentucky 21 28 48 Buckwheat 50 75 50 Cane, Drill 10 15 50 Cane, broadcast 50 75 60 Clover, Alfalfa, drills 15 20 60 Clover, Alfalfa, broadcast 18 22 60 Clover, Alsike (alone for forage) 8 15 60 Clover, Alsike (on wheat or rye in spring) 4 6 60 Clover, Crimson 12 15 25 Clover, Japan (Lespedeza) 15 25 60 Clover, Sapling (Mammoth) 10 15 60 Clover, Red (alone for forage) 10 15 60 Clover, Red (on small grain in spring) 7 12 60 Clover, Sweet (hulled) 10 15 33 Clover, Sweet (unhulled) 20 30 60 Clover, White 10 20 50 Millet, All Varieties (for seed) 25 40	47. Barley
14. Bluegrass, Kentucky 21—28 48. Buckwheat 50—75 50. Cane, Drill 10—15 50. Cane, broadcast 50—75 60. Clover, Alfalfa, drills 15—20 60. Clover, Alfalfa, broadcast 18—22 60. Clover, Alsike (alone for forage) 8—15 60. Clover, Alsike (on wheat or rye in spring) 4—6 60. Clover, Crimson 12—15 25. Clover, Japan (Lespedeza) 15—25 60. Clover, Sapling (Mammoth) 10—15 60. Clover, Red (alone for forage) 10—15 60. Clover, Red (on small grain in spring) 7—12 60. Clover, Sweet (hulled) 10—15 33. Clover, Sweet (unhulled) 20—30 60. Clover, White 10—20 56. Corn 6—12 56. Corn (for Silage) 40—56 50. Millet, All Varieties (for seed) 25—40 50. Millet, All Varieties (for hay) 40—50 32. Oats 50—65 <t< td=""><td>60. Beans, Soy, drills</td></t<>	60. Beans, Soy, drills
14. Bluegrass, Kentucky 21—28 48. Buckwheat 50—75 50. Cane, Drill 10—15 50. Cane, broadcast 50—75 60. Clover, Alfalfa, drills 15—20 60. Clover, Alfalfa, broadcast 18—22 60. Clover, Alsike (alone for forage) 8—15 60. Clover, Alsike (on wheat or rye in spring) 4—6 60. Clover, Crimson 12—15 25. Clover, Japan (Lespedeza) 15—25 60. Clover, Sapling (Mammoth) 10—15 60. Clover, Red (alone for forage) 10—15 60. Clover, Red (on small grain in spring) 7—12 60. Clover, Sweet (hulled) 10—15 33. Clover, Sweet (unhulled) 20—30 60. Clover, White 10—20 56. Corn 6—12 56. Corn (for Silage) 40—56 50. Millet, All Varieties (for seed) 25—40 50. Millet, All Varieties (for hay) 40—50 32. Oats 50—65 <t< td=""><td>60. Beans, Soy, broadcast</td></t<>	60. Beans, Soy, broadcast
50 Cane, Drill 10—15 50 Cane, broadcast 50—75 60 Clover, Alfalfa, drills 15—20 60 Clover, Alfalfa, broadcast 18—22 60 Clover, Alsike (alone for forage) 8—15 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Grimson 12—15 25 Clover, Japan (Lespedeza) 15—25 60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Red (on small grain in spring) 7—12 60 Clover, Sweet (hulled) 10—15 33 Clover, Sweet (unhulled) 20—30 60 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 56 Corn 6—12 56 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for hay) 40—50 32 Oats 50—65 14 Orchard Grass 20—30 <td< td=""><td>14. Bluegrass, Kentucky</td></td<>	14. Bluegrass, Kentucky
50 Cane, broadcast 50— 75 60 Clover, Alfalfa, drills 15— 20 60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30	48. Buckwheat
60 . Clover, Alfalfa, drills 15— 20 60 . Clover, Alfalfa, broadcast 18— 22 60 . Clover, Alsike (alone for forage) 8— 15 60 . Clover, Alsike (on wheat or rye in spring) 4— 6 60 . Clover, Crimson 12— 15 25 . Clover, Japan (Lespedeza) 15— 25 60 . Clover, Sapling (Mammoth) 10— 15 60 . Clover, Red (alone for forage) 10— 15 60 . Clover, Red (on small grain in spring) 7— 12 60 . Clover, Sweet (hulled) 10— 15 33 . Clover, Sweet (unhulled) 20— 30 60 . Clover, White 10— 20 56 . Corn 6— 12 56 . Corn (for Silage) 40— 56 50 . Millet, All Varieties (for seed) 25— 40 50 . Millet, All Varieties (for seed) 25— 40 50 . Millet, All Varieties (for hay) 40— 50 32 . Oats 50— 65 14 . Orchard Grass 20— 30 60 . Peas, Cowpeas (drills) 45— 60 60 . Peas, Cowpeas (broadcast) 75— 90 50 . Rape (broadcast) 8— 10 14 . Red Top Fancy 7— 12 14 . Red Top (unhulled) 10— 15	50 Cane, Drill
60. Clover, Alsike (alone for forage) 8— 15 60. Clover, Alsike (on wheat or rye in spring) 4— 6 60. Clover, Crimson 12— 15 25. Clover, Japan (Lespedeza) 15— 25 60. Clover, Sapling (Mammoth) 10— 15 60. Clover, Red (alone for forage) 10— 15 60. Clover, Red (on small grain in spring) 7— 12 60. Clover, Sweet (hulled) 10— 15 33. Clover, Sweet (unhulled) 20— 30 60. Clover, White 10— 20 56. Corn 6— 12 56. Corn 6— 12 56. Corn (for Silage) 40— 56 50. Millet, All Varieties (for seed) 25— 40 50. Millet, All Varieties (for hay) 40— 50 32. Oats 50— 65 14. Orchard Grass 20— 30 60. Peas, Cowpeas (drills) 45— 60 60. Peas, Cowpeas (broadcast) 75— 90 50. Rape (broadcast) 8— 10 14. Red Top Fancy 7— 12 <td>50 Cane, broadcast</td>	50 Cane, broadcast
60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 24	60. Clover, Alfalfa, drills
60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 24 Sunflower 8— 10 45 Timothy 10— 15 <td>60. Clover, Alfalfa, broadcast</td>	60. Clover, Alfalfa, broadcast
60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 24 Sunflower 8— 10 45 Timothy 10— 15 <td>60. Clover, Alsike (alone for forage)8—15</td>	60. Clover, Alsike (alone for forage)8—15
60. Clover, Crimson 12— 15 25. Clover, Japan (Lespedeza) 15— 25 60. Clover, Sapling (Mammoth) 10— 15 60. Clover, Red (alone for forage) 10— 15 60. Clover, Red (on small grain in spring) 7— 12 60. Clover, Sweet (hulled) 20— 30 60. Clover, Sweet (unhulled) 20— 30 60. Clover, White 10— 20 56. Corn 6— 12 56. Corn (for Silage) 40— 56 50. Millet, All Varieties (for seed) 25— 40 50. Millet, All Varieties (for seed) 25— 40 50. Millet, All Varieties (for hay) 40— 50 32. Oats 50— 65 14. Orchard Grass 20— 30 60. Peas, Cowpeas (drills) 45— 60 60. Peas, Cowpeas (broadcast) 75— 90 50. Rape (broadcast) 8— 10 14. Red Top Fancy 7— 12 14. Red Top (unhulled) 10— 15 56. Rye 56—112 2	60. Clover, Alsike (on wheat or rye in spring) 4— 6
25. Clover, Japan (Lespedeza) 15— 25 60. Clover, Sapling (Mammoth) 10— 15 60. Clover, Red (alone for forage) 10— 15 60. Clover, Red (on small grain in spring) 7— 12 60. Clover, Sweet (hulled) 10— 15 33. Clover, Sweet (unhulled) 20— 30 60. Clover, White 10— 20 56. Corn 6— 12 56. Corn (for Silage) 40— 56 50. Millet, All Varieties (for seed) 25— 40 50. Millet, All Varieties (for hay) 40— 50 32. Oats 50— 65 14. Orchard Grass 20— 30 60. Peas, Cowpeas (drills) 45— 60 60. Peas, Cowpeas (broadcast) 75— 90 50. Rape (drill) 4— 8 50. Rape (broadcast) 8— 10 14. Red Top Fancy 7— 12 14. Red Top (unhulled) 10— 15 56. Rye 56—112 25. Sudan Grass 15— 25 24. Sunflower 8— 10 45. Timothy 10— 15 45. Timothy and Alsike 8— 10 60. Vetch, Hairy (drills) 35— 50 60. Vetch, Hairy (broadcast) 5	60. Clover, Crimson
60 . Clover, Red (alone for forage) 10— 15 60 . Clover, Red (on small grain in spring) 7— 12 60 . Clover, Sweet (hulled) 10— 15 33 . Clover, Sweet (unhulled) 20— 30 60 . Clover, White 10— 20 56 . Corn 6— 12 56 . Corn (for Silage) 40— 56 50 . Millet, All Varieties (for seed) 25— 40 50 . Millet, All Varieties (for hay) 40— 50 32 . Oats 50— 65 14 . Orchard Grass 20— 30 60 . Peas, Cowpeas (drills) 45— 60 60 . Peas, Cowpeas (broadcast) 75— 90 50 . Rape (drill) 4— 8 50 . Rape (broadcast) 8— 10 14 . Red Top Fancy 7— 12 14 . Red Top (unhulled) 10— 15 56 . Rye 56—112 25 . Sudan Grass 15— 25 24 . Sunflower 8— 10 45 . Timothy 10— 15 45 . Timothy and Alsike 8— 10 60 . Vetch, Hairy (drills) 35— 50 60 . Vetch, Hairy (broadcast) 50— 75	
60 . Clover, Red (on small grain in spring) 7— 12 60 . Clover, Sweet (hulled) 10— 15 33 . Clover, Sweet (unhulled) 20— 30 60 . Clover, White 10— 20 56 . Corn 6— 12 56 . Corn (for Silage) 40— 56 50 . Millet, All Varieties (for seed) 25— 40 50 . Millet, All Varieties (for hay) 40— 50 32 . Oats 50— 65 14 . Orchard Grass 20— 30 60 . Peas, Cowpeas (drills) 45— 60 60 . Peas, Cowpeas (broadcast) 75— 90 50 . Rape (drill) 4— 8 50 . Rape (broadcast) 8— 10 14 . Red Top Fancy 7— 12 14 . Red Top (unhulled) 10— 15 56 . Rye 56—112 25 . Sudan Grass 15— 25 24 . Sunflower 8— 10 45 . Timothy 10— 15 45 . Timothy and Alsike 8— 10 60 . Vetch, Hairy (drills) 35— 50 60 . Vetch, Hairy (broadcast) 50— 75	60. Clover, Sapling (Mammoth) 10-15
60 . Clover, Sweet (hulled) 10—15 33 . Clover, Sweet (unhulled) 20—30 60 . Clover, White 10—20 56 . Corn 6—12 56 . Corn (for Silage) 40—56 50 . Millet, All Varieties (for seed) 25—40 50 . Millet, All Varieties (for hay) 40—50 32 . Oats	60. Clover, Red (alone for forage) 10-15
60 . Clover, Sweet (hulled) 10—15 33 . Clover, Sweet (unhulled) 20—30 60 . Clover, White 10—20 56 . Corn 6—12 56 . Corn (for Silage) 40—56 50 . Millet, All Varieties (for seed) 25—40 50 . Millet, All Varieties (for hay) 40—50 32 . Oats	60. Clover, Red (on small grain in spring) 7-12
60 . Clover, White 10— 20 56 . Corn 6— 12 56 . Corn (for Silage) 40— 56 50 . Millet, All Varieties (for seed) 25— 40 50 . Millet, All Varieties (for hay) 40— 50 32 . Oats	
56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 24 Sunflower 8— 10 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	33 Clover, Sweet (unhulled) 20— 30
56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 24 Sunflower 8— 10 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	60. Clover, White
50. Millet, All Varieties (for seed) 25— 40 50. Millet, All Varieties (for hay) 40— 50 32. Oats 50— 65 14. Orchard Grass 20— 30 60. Peas, Cowpeas (drills) 45— 60 60. Peas, Cowpeas (broadcast) 75— 90 50. Rape (drill) 4— 8 50. Rape (broadcast) 8— 10 14. Red Top Fancy 7— 12 14. Red Top (unhulled) 10— 15 56. Rye 56—112 25. Sudan Grass 15— 25 24. Sunflower 8— 10 45. Timothy 10— 15 45. Timothy and Alsike 8— 10 60. Vetch, Hairy (drills) 35— 50 60. Vetch, Hairy (broadcast) 50— 75	56 Corn 6— 12
50. Millet, All Varieties (for seed) 25— 40 50. Millet, All Varieties (for hay) 40— 50 32. Oats 50— 65 14. Orchard Grass 20— 30 60. Peas, Cowpeas (drills) 45— 60 60. Peas, Cowpeas (broadcast) 75— 90 50. Rape (drill) 4— 8 50. Rape (broadcast) 8— 10 14. Red Top Fancy 7— 12 14. Red Top (unhulled) 10— 15 56. Rye 56—112 25. Sudan Grass 15— 25 24. Sunflower 8— 10 45. Timothy 10— 15 45. Timothy and Alsike 8— 10 60. Vetch, Hairy (drills) 35— 50 60. Vetch, Hairy (broadcast) 50— 75	56 Corn (for Silage)
50 Millet, All Varieties (for hay) .40— 50 32 Oats	
14 Orchard Grass. 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 24 Sunflower 8— 10 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	50. Millet, All Varieties (for hay) 40-50
14 Orchard Grass. 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 24 Sunflower 8— 10 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	32. Oats
60 . Peas, Cowpeas (broadcast) .75— 90 50 . Rape (drill) .4— 8 50 . Rape (broadcast) .8— 10 14 . Red Top Fancy .7— 12 14 . Red Top (unhulled) .10— 15 56 . Rye .56—112 25 . Sudan Grass .15— 25 24 . Sunflower .8— 10 45 . Timothy .10— 15 45 . Timothy and Alsike .8— 10 60 . Vetch, Hairy (drills) .35— 50 60 . Vetch, Hairy (broadcast) .50— 75	
50 Rape (drill) 4—8 50 Rape (broadcast) 8—10 14 Red Top Fancy 7—12 14 Red Top (unhulled) 10—15 56 Rye 56—112 25 Sudan Grass 15—25 24 Sunflower 8—10 45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75	60. Peas, Cowpeas (drills)
50 Rape (drill) 4—8 50 Rape (broadcast) 8—10 14 Red Top Fancy 7—12 14 Red Top (unhulled) 10—15 56 Rye 56—112 25 Sudan Grass 15—25 24 Sunflower 8—10 45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75	60. Peas, Cowpeas (broadcast)
14 . Red Top Fancy 7— 12 14 . Red Top (unhulled) 10— 15 56 . Rye	
14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 24 Sunflower 8— 10 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	50. Rape (broadcast) 8-10
14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 24 Sunflower 8— 10 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	14. Red Top Fancy
56 . Rye	
25 Sudan Grass	56 Rye
24. Sunflower 8— 10 45. Timothy 10— 15 45. Timothy and Alsike 8— 10 60. Vetch, Hairy (drills) 35— 50 60. Vetch, Hairy (broadcast) 50— 75	
45 . Timothy and Alsike 8— 10 60 Vetch, Hairy (drills)	
60. Vetch, Hairy (drills)	45. Timothy
60. Vetch, Hairy (drills)	45 Timothy and Alsike 8-10
60. Vetch, Hairy (broadcast)	60. Vetch, Hairy (drills)

Louisville Seed Company

226 N. Fifteenth St.

LOUISVILLE, KENTUCKY